Case 319: Narrative

Case Vehicle (A): 1999 Mercury

Type: Tracer LS, 4-door sedan

Driver: 40- year-old male

CDC: 12-FCEN-2

SITUATION

1 2 On a cloudy day in a residential area, case vehicle (A) was traveling south on a two-lane roadway and was fleeing police. The road surface was dry, it was daylight, and the speed limit was 25 mph (40 kph). 3 4 5 6 7 8 The driver of case vehicle (A) lost control of the vehicle as he approached a four-leg intersection, and the vehicle departed the southeast edge of the road, where it struck a 16-cm diameter light pole with the center of the front bumper. The light pole was located one-meter east of the road edge and was attached to a concrete base. The driver of case vehicle (A) was transported to the hospital with police-reported "B" injuries. The vehicle was towed from the scene. The driver had been drinking and had a blood alcohol content of .19 percent. He also tested positive for cocaine use.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

9 10 The narrow frontal impact with the pole resulted in 17 cm of direct damage to the center of the front bumper, with a maximum crush of 31 cm. 11 12 13 14 15 16 17 Using the WinSMASH crash-reconstruction program and c-values measured for case vehicle (A), the following impact severity was calculated for the frontal impact with the pole.

		Calculated Velocity Change - kph (mph)			
Vehicle	Variable	Total	Longitudinal	Latitudinal	
Case Vehicle (A)	delta V	21 (13)	-21 (-13)	0 (0)	

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

- 18 19 The center portion of the front bumper was damaged and the bumper cover was completely separated from the vehicle. The grille was damaged and both headlight assemblies were broken. There was direct damage to the center of the hood and it was pushed up and to the rear. 20 There was no damage to the hood latch or hood hinges, although the rear edge of the hood was slightly elevated. 21 22 There were two cracks in the right side of the windshield from contact by the right-front passenger airbag cover, and two cracks in the left side of the windshield from contact by the driver.
- 23 On the left side of the vehicle, the front fender was slightly deformed. 24 There was no damage to the upper or lower portions of the left A-, B-, or C-pillars. 25 There was no damage to the left-side doors or door glazing, and both doors were operational. 26 27 There was no damage to the left wheels and no change in the left wheelbase. There was no other damage to the left side.
- <u>28</u> <u>29</u> There was no damage to the right side of case vehicle (A), to the upper or lower portions of the right A-, B-, or C-pillars, or to the right-side doors or door glazing, and both doors were operational. <u>30</u> There was no damage to the right wheels and no change in the right wheelbase.
- 31 There was no damage to the rear of case vehicle (A).

Interior

32 This vehicle is equipped with steering-wheel and passenger frontal-impact airbags, which deployed during the frontal impact with the pole. 33 34 There was no damage to, or contact marks on, the steering-wheel airbag or the passenger airbag. 35 36 There was no damage to the steering-wheel rim or hub, and there was no rotation of the steering column.

37 There was no damage to the windshield header, the roof structure, or the roof headlining in the driver area. 38 The upper-left corner of the windshield was broken and

peeled down to the plastic interlayer, due to contact by the driver's face. In addition, there

was a crack to the upper-center portion of the windshield in the driver area, possibly due to contact by the driver's hand. 39 The upper and mid portions of the instrument panel were undamaged. 40 41 42 There was a scuff mark on the left lower portion of the knee bolster, and the hood-latch release lever mounted on the left-side of the driver knee bolster was bent. 43 There was no deformation to the floor in the driver area, and there was no damage to the brake or accelerator pedals. 44 There was no damage to the interior panel of the driver door.

45 There was no damage to the center portions of the windshield header, the roof structure, or the roof headlining. The rearview mirror was separated from its attachment to the windshield, but the mirror glass was not broken. 46 47 48 49 The center vertical console was not deformed, but there was a faint scuff mark on the left edge of the circular panel, and there was a faint scuff mark on the mid panel above the vent.

50 In the right-front seat area, the windshield header, the roof structure, and the headlining were undamaged. 51 The passenger frontal-impact airbag cover contacted and cracked the windshield glass in two places. There was no damage to the glove-box compartment and there was no deformation to the floor in the right front area. No intrusions were noted.

OCCUPANT KINEMATICS AND INJURIES

52 The 6-ft, 220-lb, 40-year-old male driver was **not** wearing the three-point belt and the steering-wheel airbag deployed. 53 54 There was no physical evidence of belt use on the D-ring, continuous loop, or belt webbing.

55 56 57 58 During the frontal impact, the unbelted driver moved forward relative to the vehicle interior, into and over the steering-wheel airbag. His face contacted the left upper portion of the windshield, as evidenced by damage to the windshield glass, resulting in a nosebleed, a laceration to the lip, multiple teeth fractures, and a laceration to the chin. He was reportedly wearing eyeglasses, which may have contributed to lacerations around the

left eye. <u>59</u> <u>60</u> There was a scuff mark on the lower-left portion of the knee bolster and damage to the hood release knob, indicating driver leg or knee contact, but no injuries resulted from these contacts.

The following table $\underline{61}$ and attached drawing summarizes the injuries for the unbelted driver.

Occupant: Driver	Age: 40 years	ge: 40 years		
Restraints: 3-point belt <i>not</i> worn; airbag deployed	Stature: 183 c	tature: 183 cm (6 ft) Mass: 100 kg (220		(220 lb)
Injury Description	A.I.S.		Injury Source	e
_	_	Definite	Probable	Possible
Lacerations around left eye	1	_	Windshield	Eyeglasses
Nosebleed	1	Windshield	_	
Laceration, lip	1	Windshield	_	
Multiple teeth fractures	1	Windshield	_	
Laceration, chin	1	Windshield	_	
Maximum A.I.S. Level	1	_	_	
Injury Severity Score	2	_		

CHIEFE: 201

CCCURINT (Bries) Reserved rose

RESTRICTE Sport bull payment of

.....

Lacorations gypus





Vehicle Report

General

Conditions

Variable Number and Name	Code Value	Code Description	Other Options
V206 — Urban/Rural Area	1	Urban	more
V207 — Limited Access Highway	0	No	more
V208 — Road Total Lanes	2	2 lanes	more
V209 — Intersecting Road Total Lanes	2	2 lanes	more
V210 — Road Surface Type	1	Asphalt	<u>more</u>
V211 — Road Defects	0	No	more
V212 — Construction Zone	0	No	more
V213 — Road Alignment Vertical Plane	1	Level	more
V214 — Road Alignment Horizontal Plane	1	Straight	more
V215 — Surface Covering	10	Dry	more
V216 — Visibility Limitation	0	None	more
V217 — Visibility Obstruction	0	None	more
V218 — Speed Limit	0	5-45 km/h 5-25 mph	more
V219 — Precipitation Type	0	None	more
V220 — Precipitation Rate	8	Not applicable	more
V221 — Temperature	9	Unknown	more
V222 — Crosswind	9	Unknown	more
V223 — Light Conditions	1	Daylight	more
V224 — Mechanical Malfunction Mention	0	No	more
V225 — Case Vehicle and Object	1	Yes	<u>more</u>
V226 — Case Vehicle Rollover	0	No	more

V227 — Case Vehicle Ran Off Roadway	1	Yes	<u>more</u>
V228 — Moving Case Vehicle/Contacted Moving Vehicle	0	No	<u>more</u>
V229 — Case Vehicle/Contacted Stopped Vehicle	0	No	<u>more</u>
V230 — Stopped Case Vehicle/Contactd Vehicle	0	No	<u>more</u>
V231 — Total Vehicles Hit By Case Vehicle	0	0 vehicles	<u>more</u>
V232 — Any Fire in Crash	0	No	<u>more</u>
V233 — Max Police Severity-PAR	2	B - Non-Incapacitating Injury	<u>more</u>
V234 — Driver Alcohol Involvement	1	Had been drinking	<u>more</u>
V235 — Driver Alcohol BAC	19	_	_
V236 — Driver Impairment Mention	1	Yes	<u>more</u>
V237 — Driven/Towed From Scene	2	Towed Due to Damage	<u>more</u>

Other Vehicle

Variable Number and Name	Code Value	Code Description	Other Options
V301 — Other Vehicle VIN			more
V303 — Other Vehicle Manufacturer	998	No Other Vehicle	<u>more</u>
V304 — Other Vehicle Body Code	98	No Other Vehicle	more
V305 — Other Vehicle Make/Model	0000	No other vehicle	more
V306 — Other Vehicle Model Year	9999	No other vehicle	more
V307 — Other Vehicle Mass	999998	No other vehicle	more
V308 — Other Vehicle Number	8	No other vehicle	more
V309 — Other Vehicle Number of Occupants	98	No other vehicle	more
V310 — Other Vehicle Traveling Speed	999	Unknown	more
V311 — Highest Police Injury Severity	8	Unoccupied Vehicle	more
V312 — Other Vehicle Type	98	No Other Vehicle	<u>more</u>
V313 — Other Vehicle Wheelbase (cm)	998	No other vehicle	more
V314 — Average Track Width	999	Unknown	<u>more</u>
V315 — Overall Length	999	Unknown	more
V316 — Overall Width (OAW)	999	Unknown	more
V317 — Front Overhang (FOH)	999	Unknown	more
V318 — Rear Overhang (ROH)	999	Unknown	more
V319 — Undeformed End Width (UEW)	999	Unknown	more
V320 — Engine Displacement	9.9 <i>l</i>	_	
V321 — Engine: Number of Cylinders	99	Unknown	more
V322 — Direct Damage Length (DDL)	999	Unknown	more
V323 — Front-End Overlap % (FEO)	99	Missing or Not applicable	<u>more</u>
V324 — Vehicle Overlap % (VOL)	99	Missing or Not applicable	<u>more</u>

General

Variable Number and Name	Code Value	Code Description	Other Options
V401 — VIN	1MEFM13P2XW6	_	_
V402 — Manufacturer/Body Code	12226	_	_
V403 — Vehicle Manufacturer	122	Lincoln-Mercury	more
V404 — Vehicle Body Code	26	_	_
V405 — Make/Model Code	0972	_	_
V406 — Model Year	1999	_	_
V407 — Vehicle Mass	001114 kg	_	_
V408 — Odometer Reading	067663 miles	_	_
V409 — Number of Occupants	01	_	_
V410 — Traveling Speed	998	Speed excessive (but unknown)	more
V411 — Body Type	14	4-door sedan	more
V412 — Stolen Vehicle	8	Not currently collected	<u>more</u>
V413 — Body Structure	2	Unitized	<u>more</u>
V414 — Transmission Type	1	Automatic	more
V415 — Transmission Lever Location	2	Console	more
V416 — Steering	1	Power	<u>more</u>
V417 — Brakes	1	Power	more
V418 — Brake Type	2	Disc - front wheels	<u>more</u>
V419 — Brake Anti-lock Device	1	Two-wheel	more
V420 — Air Conditioning in Vehicle	8	Not currently collected	more
V421 — Drive Type	2	Front wheel	<u>more</u>
V422 — Dual Rear Wheels	0	No	more
V423 — Original Restraint System Type	3	Airbag	more

V424 — Equipped With Roll Bar	0	No	<u>more</u>
V425 — Roof Type	1	Solid	<u>more</u>
V426 — Wheelbase	250 cm	_	_
V427 — Anti-lacerative Glass	0	None	<u>more</u>
V428 — Average Track Width	144 cm	_	_
V429 — Overall Length	444 cm	_	
V430 — Overall Width (OAW)	170 cm	_	
V431 — Front Overhang	089 cm	_	
V432 — Rear Overhang	105 cm	_	
V433 — Undeformed End Width (UEW)	140 cm	_	_
V434 — Engine Displacement	2.0 <i>l</i>	_	_
V435 — Engine: Number of Cylinders	04	_	_
V436 — Direct Damage Length (DDL)	999	Unknown	<u>more</u>
V437 — Front End Overlap % (FEO)	99	Missing or Not applicable	more
V438 — Vehicle Overlap % (VOL)	99	Missing or Not applicable	more

Damage

Description

Variable Number and Name	Code Value	Code Description	Other Options
V501 — Maximum Crush - Front	031 cm	_	_
V502 — Maximum Crush - Right Side	000 cm	No crush (or less than 1 cm.)	more
V503 — Maximum Crush - Rear	000 cm	No crush (or less than 1 cm.)	more
V504 — Maximum Crush - Left Side	000 cm	No crush (or less than 1 cm.)	more
V505 — Maximum Crush - Roof	000 cm	No crush (or less than 1 cm.)	more
V506 — Maximum Crush - Other	000 cm	No crush (or less than 1 cm.)	more
V507 — Are Events In Chronological Order	1	Yes	more
V508 — Event 1 Impact Location	1	On Roadway	more
V509 — Event 1 Impact Configuration	57	Case vehicle - object - other configuration	more
V510 — Event 1 Object/Vehicle Contacted	77	Sign post, utility pole, tree	more
V511 — Event 2 Impact Location	8	No 2nd event	more
V512 — Event 2 Impact Configuration	88	No 2nd event	more
V513 — Event 2 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V514 — Event 3 Impact Location	8	No 3rd event	more
V515 — Event 3 Impact Configuration	88	No 3rd event	more
V516 — Event 3 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V517 — Event 4 Impact Location	8	No 4th event	more
V518 — Event 4 Impact Configuration	88	No 4th event	more
V519 — Event 4 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V520 — Event 5 Impact Location	8	No 5th event	more
V521 — Event 5 Impact Configuration	88	No 5th event	more
V522 — Event 5 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V523 — Event 6 Impact Location	8	No 6th event	more

V524 — Event 6 Impact Configuration	88	No 6th event	more
V525 — Event 6 Object/Vehicle Contacted	00	No object/vehicle contacted	<u>more</u>
V526 — Event 7 Impact On Road	8	No 7th event	more
V527 — Event 7 Impact Configuration	88	No 7th event	more
V528 — Event 7 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V529 — Primary CDC Case Vehicle -event Number	1	Event 1	<u>more</u>
V530 — Primary CDC Case Vehicle - impact speed	999	Unknown	<u>more</u>
V531 — Primary CDC Case Vehicle - Estimated By	1	Investigator	<u>more</u>
V532 — Primary CDC Case Vehicle -crush	031	_	
V533 — Primary CDC Case Vehicle -clock #1	12	12 o'clock	<u>more</u>
V534 — Primary CDC Case Vehicle letter 1 #1	06	F - Front	<u>more</u>
V535 — Primary CDC Case Vehicle letter 2 #1	03	C - Center (Front or Rear)	<u>more</u>
V536 — Primary CDC Case Vehicle letter 3 #1	05	E - Everything below belt line	<u>more</u>
V537 — Primary CDC Case Vehicle letter 4 #1	14	N - Narrow impact area	<u>more</u>
V538 — Primary CDC Case Vehicle Extent #1	02	Extent 2	more
V539 — Primary CDC Case Vehicle -CDC #1	12FCEN 2	_	_
V541 — Primary CDC Case Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V542 — Primary CDC Case Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V543 — Primary CDC Case Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V544 — Primary CDC Case Vehicle letter 4 #2	00	Missing Data/Not applicable	<u>more</u>
V545 — Primary CDC Case Vehicle Extent #2	00	Missing Data/Not applicable	more
V546 — Primary CDC Case Vehicle -CDC #2	9800000	_	_
V547 — Primary CDC Contacted Vehicle - Impact Speed	998	Not Applicable	<u>more</u>
V548 — Primary CDC Contacted Vehicle - Estimated By	1	Investigator	more
V549 — Primary CDC Contacted Vehicle -crush	998	Not Applicable	<u>more</u>
V550 — Primary CDC Contacted Vehicle -clock #1	98	Not Applicable	more

V551 — Primary CDC Contacted Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V552 — Primary CDC Contacted Vehicle letter 2 #1	00	Missing Data/Not applicable	more
V553 — Primary CDC Contacted Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V554 — Primary CDC Contacted Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V555 — Primary CDC Contacted Vehicle Extent #1	00	Missing Data/Not applicable	more
V556 — Primary CDC Contacted Vehicle -CDC #1	9800000	_	_
V558 — Primary CDC Contacted Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V559 — Primary CDC Contacted Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V560 — Primary CDC Contacted Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V561 — Primary CDC Contacted Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V562 — Primary CDC Contacted Vehicle Extent #2	00	Missing Data/Not applicable	more
V563 — Primary CDC Contacted Vehicle -CDC #2	9800000	_	—
V564 — Secondary CDC Case Vehicle - Event No	8	Not applicable	more
V565 — Secondary CDC Case Vehicle - Impact Speed	998	Not Applicable	more
V566 — Secondary CDC Case Vehicle - Estimated By	8	Not applicable (no vehicle/no impact)	more
V567 — Secondary CDC Case Vehicle -crush	998	Not Applicable	more
V568 — Secondary CDC Case Vehicle -clock #1	98	Not Applicable	<u>more</u>
V569 — Secondary CDC Case Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V570 — Secondary CDC Case Vehicle letter 2 #1	00	Missing Data/Not applicable	more
V571 — Secondary CDC Case Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V572 — Secondary CDC Case Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V573 — Secondary CDC Case Vehicle Extent #1	00	Missing Data/Not applicable	more
V574 — Secondary CDC Case Vehicle -CDC #1	9800000	_	_
V576 — Secondary CDC Case Vehicle letter 1 #2	00	Missing Data/Not applicable	<u>more</u>

00	Missing Data/Not applicable	more
00	Missing Data/Not applicable	more
00	Missing Data/Not applicable	<u>more</u>
00	Missing Data/Not applicable	<u>more</u>
9800000	_	
998	Not Applicable	<u>more</u>
8	Not applicable (no vehicle/no impact)	more
998	Not Applicable	<u>more</u>
98	Not Applicable	<u>more</u>
00	Missing Data/Not applicable	<u>more</u>
00	Missing Data/Not applicable	more
00	Missing Data/Not applicable	more
00	Missing Data/Not applicable	more
00	Missing Data/Not applicable	<u>more</u>
9800000	_	_
00	Missing Data/Not applicable	more
00	Missing Data/Not applicable	<u>more</u>
00	Missing Data/Not applicable	<u>more</u>
00	Missing Data/Not applicable	<u>more</u>
00	Missing Data/Not applicable	more
9800000	_	
	00 00 9800000 998 8 998 98 00 00 00 00 00 00 00 00 00 00 00 00 00	Missing Data/Not applicable Not Applicable Not Applicable Not Applicable Not Applicable Missing Data/Not applicable

Crash Severity

Variable Number and Name	Code Value	Code Description	Other Options
V601 — Case Vehicle Primary Impact Number	1	_	_
V602 — Primary Impact Total Delta-V	021 kph	_	
V603 — Primary Case Vehicle Reconstructed Longitudinal Delta-V	-021 kph	_	
V604 — Primary Case Vehicle Reconstructed Lateral Delta-V	0000 kph	_	_
V605 — Primary Case Vehicle Reconstructed Crush Energy	0204 kJ	_	_
V606 — Primary Impact Case Vehicle - reconstuction	22	Reconstructed, moderate confidence level	more
V607 — Primary Case Vehicle Reconstruction Mode	2	CDC & detailed damage	more
V608 — Primary Contacted Vehicle Reconstructed Total Delta-V	888	N/A	<u>more</u>
V609 — Primary Contacted Vehicle Reconstructed Longitudinal Delta-V	8888	_	_
V610 — Primary Contacted Vehicle Reconstructed Lateral Delta-V	8888	_	_
V611 — Primary Contacted Vehicle Reconstructed Crush Energy	8888	_	_
V612 — Case Vehicle Secondary Impact Number	8	_	_
V613 — Secondary Case Vehicle Reconstructed Total Delta-V	888	N/A	<u>more</u>
V614 — Secondary Case Vehicle Reconstructed Longitudinal Delta-V	8888	_	_
V615 — Secondary Case Vehicle Reconstructed Lateral Delta-V	8888	_	_
V616 — Secondary Case Vehicle Reconstructed Crush Energy	8888	_	_
V617 — Secondary Case Vehicle Reconstruction Note	88		_
V618 — Secondary Case Vehicle Reconstruction Mode	8	Not applicable	<u>more</u>
V619 — Secondary Contacted Vehicle	888	N/A	<u>more</u>

Reconstructed Total Delta-V			
V620 — Secondary Contacted Vehicle Reconstructed Longitudinal Delta-V	8888	_	_
V621 — Secondary Contacted Vehicle Reconstructed Lateral Delta-V	8888	_	_
V622 — Secondary Contacted Vehicle Reconstructed Crush Energy	8888	_	
V623 — Case Vehicle Primary Impact Number	1	_	
V624 — Primary Case Vehicle Reconstructed Total EBS	021 kph	_	_
V625 — Primary Case Vehicle Reconstructed Longitudinal EBS	-021 kph	_	_
V626 — Primary Case Vehicle Reconstructed Lateral EBS	0000 kph	_	_
V627 — Primary Case Vehicle Reconstructed Crush Energy	0204 kJ	_	_
V628 — Primary Case Vehicle Reconstruction Note	22	Reconstructed, moderate confidence level	<u>more</u>
V629 — Primary Case Vehicle Reconstruction Mode	2	CDC & detailed damage	<u>more</u>
V630 — Primary Contacted Vehicle Reconstruction Total EBS	888	N/A	<u>more</u>
V631 — Primary Contacted Vehicle Reconstruction Longitudinal EBS	8888	_	_
V632 — Primary Contacted Vehicle Reconstruction Lateral EBS	8888	_	_
V633 — Primary Contacted Vehicle Reconstruction Crush Energy	8888	_	_
V634 — Case Vehicle Secondary Impact Number	8	Not applicable	more
V635 — Secondary Case Vehicle Reconstruction Total EBS	888	N/A	more
V636 — Secondary Case Vehicle Reconstruction Longitudinal EBS	8888	_	_
V637 — Secondary Case Vehicle Reconstruction Lateral EBS	8888	_	_
V638 — Secondary Case Vehicle Reconstruction Crush Energy	8888	_	
V639 — Secondary Case Vehicle Reconstruction Note	88	_	_

V640 — Secondary Case Vehicle Reconstruction Mode	8	Not applicable	more
V641 — Secondary Contacted Vehicle Reconstruction Total EBS	888	N/A	more
V642 — Secondary Contacted Vehicle Reconstruction Longitudinal EBS	8888	_	_
V643 — Secondary Contacted Vehicle Reconstruction Lateral EBS	8888	_	_
V644 — Secondary Contacted Vehicle Reconstruction Crush Energy	8888		_
V645 — Case Vehicle Reconstructed Impact Number	1		
V646 — Case Vehicle Impact 1 Plane	1	Bumper	more
V647 — Case Vehicle Impact 1 Direct Damage Length [DDL]	017 cm	_	_
V648 — Case Vehicle Impact 1 Max Crush	031 cm	_	_
V649 — Case Vehicle Impact 1 Field-L	131 cm	_	_
V650 — Case Vehicle Impact 1 C1	000 cm	No Crush	more
V651 — Case Vehicle Impact 1 C2	000 cm	No Crush	more
V652 — Case Vehicle Impact 1 C3	016 cm	_	
V653 — Case Vehicle Impact 1 C4	031 cm	_	
V654 — Case Vehicle Impact 1 C5	000 cm	No Crush	more
V655 — Case Vehicle Impact 1 C6	000 cm	No Crush	more
V656 — Case Vehicle Impact 1 +/- D	0000 cm	_	
V657 — Case Vehicle Reconstructed Impact Number	9	Unknown	more
V658 — Case Vehicle Impact 2 Plane	9	Unknown	more
V659 — Case Vehicle Impact 2 Direct Damage Length [DDL]	999	Unknown	more
V660 — Case Vehicle Impact 2 Max Crush	999	Unknown	more
V661 — Case Vehicle Impact 2 Field-L	999	Unknown	more
V662 — Case Vehicle Impact 2 C1	999	Unknown	more
V663 — Case Vehicle Impact 2 C2	999	Unknown	more
V664 — Case Vehicle Impact 2 C3	999	Unknown	more

V665 — Case Vehicle Impact 2 C4	999	Unknown	more
			<u>more</u>
V666 — Case Vehicle Impact 2 C5	999	Unknown	<u>more</u>
V667 — Case Vehicle Impact 2 C6	999	Unknown	<u>more</u>
V668 — Case Vehicle Impact 2 +/- D	9999	_	_
V669 — Other Vehicle Reconstructed Impact Number	9	Unknown	more
V670 — Other Vehicle Impact 1 Plane	9	Unknown	more
V671 — Other Vehicle Impact 1 Direct Damage Length [DDL]	999	Unknown	<u>more</u>
V672 — Other Vehicle Impact 1 Max Crush	999	Unknown	more
V673 — Other Vehicle Impact 1 Field-L	999	Unknown	<u>more</u>
V674 — Other Vehicle Impact 1 C1	999	Unknown	<u>more</u>
V675 — Other Vehicle Impact 1 C2	999	Unknown	<u>more</u>
V676 — Other Vehicle Impact 1 C3	999	Unknown	more
V677 — Other Vehicle Impact 1 C4	999	Unknown	more
V678 — Other Vehicle Impact 1 C5	999	Unknown	more
V679 — Other Vehicle Impact 1 C6	999	Unknown	more
V680 — Other Vehicle Impact 1 +/- D	9999	_	_
V681 — Other Vehicle Reconstructed Impact Number	9	Unknown	<u>more</u>
V682 — Other Vehicle Impact 2 Plane	9	Unknown	more
V683 — Other Vehicle Impact 2 Direct Damage Length [DDL]	999	Unknown	<u>more</u>
V684 — Other Vehicle Impact 2 Max Crush	999	Unknown	more
V685 — Other Vehicle Impact 2 Field-L	999	Unknown	more
V686 — Other Vehicle Impact 2 C1	999	Unknown	<u>more</u>
V687 — Other Vehicle Impact 2 C2	999	Unknown	more
V688 — Other Vehicle Impact 2 C3	999	Unknown	more
V689 — Other Vehicle Impact 2 C4	999	Unknown	more
V690 — Other Vehicle Impact 2 C5	999	Unknown	more
V691 — Other Vehicle Impact 2 C6	999	Unknown	more
V692 — Other Vehicle Impact 2 +/- D	9999	_	_

Tires & Rims

Variable Number and Name	Code Value	Code Description	Other Options
V701 — Left Front Wheel Damaged	0	No	more
V702 — Right Front Wheel Damaged	0	No	<u>more</u>
V703 — Right Rear Wheel Damaged	0	No	more
V704 — Left Rear Wheel Damaged	0	No	more
V705 — Left Front Tire Tread Type	4	All Weather	more
V706 — Right Front Tire Tread Type	4	All Weather	more
V707 — Right Rear Tire Tread Type	4	All Weather	more
V708 — Left Rear Tire Tread Type	4	All Weather	<u>more</u>
V709 — Left Front Carcass Construction	3	Radial	more
V710 — Right Front Carcass Construction	3	Radial	more
V711 — Right Rear Carcass Construction	3	Radial	more
V712 — Left Rear Carcass Construction	3	Radial	more
V717 — Left Front Tire Size	P18560R15	_	
V718 — Right Front Tire Size	P18560R15		_
V719 — Right Rear Tire Size	P18560R15	_	_
V720 — Left Rear Tire Size	P18560R15	_	_

Fuel, Tank, Fire

Variable Number and Name	Code Value	Code Description	Other Options
V801 — Propulsive Fuel Type	1	Gasoline	<u>more</u>
V802 — Main Tank Location	322	Within frame/centered laterally - within vertically	<u>more</u>
V803 — Main Filler Cap Location	113	Left of frame laterally - above vertically	<u>more</u>
V804 — Main Tank Material	9	Unknown	<u>more</u>
V805 — Aux Tank Type	8	Not applicable (not equipped)	more
V806 — Aux Tank Location	888	Not applicable (not equipped)	more
V807 — Aux Filler Cap Location	888	Not applicable (not equipped)	more
V808 — Aux Tank Material	8	Not applicable	more
V901 — Fuel Leakage From Crash	0	No	more
V1001 — Fire In Or On Case Vehicle	0	No	more

Exterior

Variable Number and Name	Code Value	Code Description	Other Options
V1101 — Hood Latch Released	0	No	<u>more</u>
V1102 — Hood Latch Damaged	0	No	<u>more</u>
V1103 — Hood Latch Jammed	8	Not applicable	<u>more</u>
V1104 — Left Hood Hinge Damaged	0	No	<u>more</u>
V1105 — Left Hood Hinge Separated	8	Not applicable	<u>more</u>
V1106 — Right Hood Hinge Damaged	0	No	<u>more</u>
V1107 — Right Hood Hinge Separated	8	Not applicable	<u>more</u>
V1108 — Hood Remained On Vehicle	1	Yes	<u>more</u>
V1109 — Rear Hood Edge Elevated	1	Yes	more
V1110 — Edge Contacted Windshield	0	No	more
V1111 — Edge Penetrated Windshield	8	Not applicable	more
V1112 — Hood Latch Location	1	Front of Vehicle	<u>more</u>
V1113 — Eng/Transmissn Mount Separation	0	No	more
V1114 — Steerng Column Flex Coupling	9	Unknown if equipped	more
V1115 — Steerng Column Coupling Damaged	9	Unknown	more
V1116 — Steerng Column Coupling Separated	9	Unknown	<u>more</u>
V1117 — Eng Comp Telescopng Unit	88	Not collected	more
V1118 — Comp Orig/Telescopd Diff	888	Not collected	<u>more</u>
V1119 — Left Side Body Mount Separation	8	Not applicable (unitized)	more
V1120 — Upper Left A-pillar Separation	0	No	<u>more</u>
V1121 — Lower Left A-pillar Separation	0	No	more
V1122 — Upper Left B-pillar Separation	0	No	more
V1123 — Lower Left B-pillar Separation	0	No	more
V1124 — Upper Left C-pillar Separation	0	No	more
V1125 — Lower Left C-pillar Separation	0	No	more

V1126 — Upper Left D-pillar Separation	8	Not applicable (not equipped)	<u>more</u>
V1127 — Lower Left D-pillar Separation	8	Not applicable (not equipped)	more
V1128 — Left Front Door Opening Cause	0	Door did not open	more
V1129 — Left Rear Door Opening Cause	0	Door did not open	<u>more</u>
V1130 — Left Front Door Jammed Closed	0	No	more
V1131 — Left Rear Door Jammed Closed	0	No	<u>more</u>
V1132 — Rear Door Type	0	No door (includes pickups)	<u>more</u>
V1133 — Rear Door Opening Cause	8	Not applicable (no rear door)	more
V1134 — Rear Door Jammed Closed	8	Not applicable (no rear door)	more
V1135 — Luggage Partition Damagd	8	Not applicable	more
V1136 — Spare Tire Status	8	Not collected	more
V1137 — Trailer Hitch Type	0	No hitch	more
V1138 — Trailer Type	0	No trailer	more
V1139 — Right Side Body Mount Separation	8	Not applicable (unitized)	<u>more</u>
V1140 — Upper Right A-pillar Separation	0	No	more
V1141 — Lower Right A-pillar Separation	0	No	more
V1142 — Upper Right B-pillar Separation	0	No	more
V1143 — Lower Right B-pillar Separation	0	No	more
V1144 — Upper Right C-pillar Separation	0	No	more
V1145 — Lower Right C-pillar Separation	0	No	more
V1146 — Upper Right D-pillar Separation	8	Not applicable (not equipped)	<u>more</u>
V1147 — Lower Right D-pillar Separation	8	Not applicable (not equipped)	<u>more</u>
V1148 — Right Front Door Opening Cause	00	Door did not open	<u>more</u>
V1149 — Right Rear Door Opening Cause	00	Door did not open	<u>more</u>
V1150 — Right Front Door Jammed Closed	0	No	<u>more</u>
V1151 — Right Rear Door Jammed Closed	0	No	<u>more</u>
V1152 — Van Rear Door Type	8	Not applicable (not a van)	<u>more</u>
V1153 — Windshield Cracked		Yes	<u>more</u>

V1154 — Windshield Broken	0	No	<u>more</u>
V1155 — Windshield Cracked or Broken by Occupant	1	Yes	<u>more</u>
V1156 — Bond Separation Extent	0	None	<u>more</u>
V1157 — Windshield Code		_	_
V1158 — Did Sun/T Roof Open	8	Not Applicable	<u>more</u>

Steering

Column/Rim

Variable Number and Name	Code Value	Code Description	Other Options
V1201 — Steering Wheel Rim Damage	0	None	<u>more</u>
V1202 — Number of Steering Wheel Spokes	4	4 spokes	<u>more</u>
V1203 — Steering Wheel Spoke Damage	0	None	<u>more</u>
V1204 — Column Tilt Feature	2	Up	more
V1205 — Column Swing-away Feature	0	Not equipped	<u>more</u>
V1206 — Column Telescoping Feature	0	Not equipped	<u>more</u>
V1207 — Wheel Energy Absorb Device	8	Not collected	<u>more</u>
V1208 — Wheel Ea Orig/Damaged Diff	888	Not collected	<u>more</u>
V1209 — Column Energy Absorb Device	88	Not collected	<u>more</u>
V1210 — Column Ea Orig/Comprss Diff	888	Not collected	<u>more</u>
V1211 — Shear Capsule Separation	888	Not collected	more
V1212 — Column Vertical Rotation	0	No apparent rotation	more
V1213 — Column Lateral Rotation	0	No apparent rotation	more
V1214 — Steering Wheel Hub Damage	0	None	more

Intrusion

Variable Number and Name	Code Value	Code Description	Other Options
V1301 — Occupant Compartment Intrusion	0	No	more
V1302 — Was Intrusion Catastrophic	8	Not applicable	more
V1303 — Intrusion Number 01	00	No Intrusion, None	more
V1304 — Intrusion 01 Occupant Space Number	00	No Intrusion, None	more
V1305 — Intrusion 01 Intruding Object	00	No Intrusion, None	<u>more</u>
V1306 — Intrusion 01 Assoc Event Number	0	No Intrusion, None	more
V1307 — Intrusion 01 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1308 — Intrusion 01 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1309 — Intrusion 01 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1310 — Intrusion 01 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1311 — Intrusion 01 Injury Number	00	No injury or no intrusion	more
V1312 — Intrusion 01 Occupant Number	00	No contact or no intrusion	more
V1313 — Intrusion 01 Injury Number	99	Contact, injury unknown or data not collected	more
V1314 — Intrusion Number 02	00	No Intrusion, None	more
V1315 — Intrusion 02 Occupant Space Number	00	No Intrusion, None	more
V1316 — Intrusion 02 Intruding Object	00	No Intrusion, None	<u>more</u>
V1317 — Intrusion 02 Assoc Event Number	0	No Intrusion, None	more
V1318 — Intrusion 02 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1319 — Intrusion 02 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1320 — Intrusion 02 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1321 — Intrusion 02 Occupant Number	00	No contact or no intrusion	more
V1322 — Intrusion 02 Injury Number	00	No injury or no intrusion	more
V1323 — Intrusion 02 Occupant Number	00	No contact or no intrusion	more

V1324 — Intrusion 02 Injury Number	99	Contact, injury unknown or data not collected	more
V1325 — Intrusion Number 03	00	No Intrusion, None	<u>more</u>
V1326 — Intrusion 03 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1327 — Intrusion 03 Intruding Object	00	No Intrusion, None	<u>more</u>
V1328 — Intrusion 03 Assoc Event Number	0	No Intrusion, None	<u>more</u>
V1329 — Intrusion 03 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1330 — Intrusion 03 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1331 — Intrusion 03 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1332 — Intrusion 03 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1333 — Intrusion 03 Injury Number	00	No injury or no intrusion	<u>more</u>
V1334 — Intrusion 03 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1335 — Intrusion 03 Injury Number	99	Contact, injury unknown or data not collected	<u>more</u>
V1336 — Intrusion Number 04	00	No Intrusion, None	<u>more</u>
V1337 — Intrusion 04 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1338 — Intrusion 04 Intruding Object	00	No Intrusion, None	<u>more</u>
V1339 — Intrusion 04 Assoc Event Number	0	No Intrusion, None	<u>more</u>
V1340 — Intrusion 04 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1341 — Intrusion 04 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1342 — Intrusion 04 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1343 — Intrusion 04 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1344 — Intrusion 04 Injury Number	00	No injury or no intrusion	<u>more</u>
V1345 — Intrusion 04 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1346 — Intrusion 04 Injury Number	99	Contact, injury unknown or data not collected	<u>more</u>
V1347 — Intrusion Number 05	00	No Intrusion, None	<u>more</u>
V1348 — Intrusion 05 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1349 — Intrusion 05 Intruding Object	00	No Intrusion, None	<u>more</u>
V1350 — Intrusion 05 Assoc Event Number	0	No Intrusion, None	<u>more</u>

V1351 — Intrusion 05 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1352 — Intrusion 05 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1353 — Intrusion 05 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1354 — Intrusion 05 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1355 — Intrusion 05 Injury Number	00	No injury or no intrusion	more
V1356 — Intrusion 05 Occupant Number	00	No contact or no intrusion	more
V1357 — Intrusion 05 Injury Number	99	Contact, injury unknown or data not collected	more
V1358 — Intrusion Number 06	00	No Intrusion, None	<u>more</u>
V1359 — Intrusion 06 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1360 — Intrusion 06 Intruding Object	00	No Intrusion, None	<u>more</u>
V1361 — Intrusion 06 Assoc Event Number	0	No Intrusion, None	<u>more</u>
V1362 — Intrusion 06 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1363 — Intrusion 06 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1364 — Intrusion 06 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1365 — Intrusion 06 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1366 — Intrusion 06 Injury Number	00	No injury or no intrusion	<u>more</u>
V1367 — Intrusion 06 Occupant Number	00	No contact or no intrusion	more
V1368 — Intrusion 06 Injury Number	99	Contact, injury unknown or data not collected	<u>more</u>
V1369 — Intrusion Number 07	00	No Intrusion, None	more
V1370 — Intrusion 07 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1371 — Intrusion 07 Intruding Object	00	No Intrusion, None	<u>more</u>
V1372 — Intrusion 07 Assoc Event Number	0	No Intrusion, None	more
V1373 — Intrusion 07 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1374 — Intrusion 07 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1375 — Intrusion 07 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1376 — Intrusion 07 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1377 — Intrusion 07 Injury Number	00	No injury or no intrusion	<u>more</u>
V1378 — Intrusion 07 Occupant Number	00	No contact or no intrusion	<u>more</u>

V1379 — Intrusion 07 Injury Number	99	Contact, injury unknown or data not collected	more
V1380 — Intrusion Number 08	00	No Intrusion, None	<u>more</u>
V1381 — Intrusion 08 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1382 — Intrusion 08 Intruding Object	00	No Intrusion, None	more
V1383 — Intrusion 08 Assoc Event Number	0	No Intrusion, None	<u>more</u>
V1384 — Intrusion 08 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1385 — Intrusion 08 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1386 — Intrusion 08 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1387 — Intrusion 08 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1388 — Intrusion 08 Injury Number	00	No injury or no intrusion	more
V1389 — Intrusion 08 Occupant Number	00	No contact or no intrusion	more
V1390 — Intrusion 08 Injury Number	99	Contact, injury unknown or data not collected	more
V1391 — Intrusion Number 09	00	No Intrusion, None	<u>more</u>
V1392 — Intrusion 09 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1393 — Intrusion 09 Intruding Object	00	No Intrusion, None	<u>more</u>
V1394 — Intrusion 09 Assoc Event Number	0	No Intrusion, None	<u>more</u>
V1395 — Intrusion 09 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1396 — Intrusion 09 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1397 — Intrusion 09 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1398 — Intrusion 09 Occupant Number	00	No contact or no intrusion	more
V1399 — Intrusion 09 Injury Number	00	No injury or no intrusion	<u>more</u>
V1400 — Intrusion 09 Occupant Number	00	No contact or no intrusion	more
V1401 — Intrusion 09 Injury Number	99	Contact, injury unknown or data not collected	more
V1402 — Intrusion Number 10	00	No Intrusion, None	more
V1403 — Intrusion 10 Occupant Space Number	00	No Intrusion, None	<u>more</u>
V1404 — Intrusion 10 Intruding Object	00	No Intrusion, None	more
V1405 — Intrusion 10 Assoc Event Number	0	No Intrusion, None	<u>more</u>

V1406 — Intrusion 10 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1407 — Intrusion 10 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1408 — Intrusion 10 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	<u>more</u>
V1409 — Intrusion 10 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1410 — Intrusion 10 Injury Number	00	No injury or no intrusion	<u>more</u>
V1411 — Intrusion 10 Occupant Number	00	No contact or no intrusion	<u>more</u>
V1412 — Intrusion 10 Injury Number	99	Contact, injury unknown or data not collected	<u>more</u>
V1413 — Door Intrusion Number 01	88	Not Applicable	<u>more</u>
V1414 — Door Intrusion Number 01 Cause	8	Not applicable	<u>more</u>
V1415 — Door Intrusion Number 02	88	Not Applicable	<u>more</u>
V1416 — Door Intrusion Number 02 Cause	8	Not applicable	<u>more</u>
V1417 — Door Intrusion Number 03	88	Not Applicable	<u>more</u>
V1418 — Door Intrusion Number 03 Cause	8	Not applicable	<u>more</u>
V1419 — Door Intrusion 01 Component	88	Not Applicable	<u>more</u>
V1420 — Door Intrusion 01 Component Damaged 1	8	Not Applicable	<u>more</u>
V1421 — Door Intrusion 01 Component Damaged 2	8	Not Applicable	<u>more</u>
V1422 — Door Intrusion 02 Component	88	Not Applicable	<u>more</u>
V1423 — Door Intrusion 02 Component Damaged 1	8	Not Applicable	<u>more</u>
V1424 — Door Intrusion 02 Component Damaged 2	8	Not Applicable	<u>more</u>
V1425 — Door Intrusion 03 Component	88	Not Applicable	<u>more</u>
V1426 — Door Intrusion 03 Component Damaged 1	8	Not Applicable	<u>more</u>
V1427 — Door Intrusion 03 Component Damaged 2	8	Not Applicable	<u>more</u>
V1428 — Door Intrusion 04 Component	88	Not Applicable	<u>more</u>
V1429 — Door Intrusion 04 Component Damaged 1	8	Not Applicable	<u>more</u>
V1430 — Door Intrusion 04 Component Damaged 2	8	Not Applicable	<u>more</u>

Airbag(s)

Variable Number and Name	Code Value	Code Description	Other Options
V1501 — Driver Airbag Equipped	1	Yes	<u>more</u>
V1502 — Driver Airbag Deployed	1	Yes	<u>more</u>
V1503 — Driver Airbag Condition	0	No Damage	<u>more</u>
V1504 — Passenger Airbag Equip	1	Yes	<u>more</u>
V1505 — Passenger Airbag Deployed	1	Yes	<u>more</u>
V1506 — Passenger Airbag Condition	0	No Damage	<u>more</u>
V1507 — Steering Wheel Airbag Tether	1	Yes	<u>more</u>
V1508 — Driver Airbag Marked By Contact	0	No	<u>more</u>
V1509 — Passenger Airbag Tether	0	No	<u>more</u>
V1510 — Passenger Airbag Marked By Contact	0	No	more

Interior

Variable Number and Name	Code Value	Code Description	Other Options
V1601 — Left Front Door Damaged	0	No	more
V1602 — Right Front Door Damaged	0	No	<u>more</u>
V1603 — Left Front Hardware Damaged	0	No	<u>more</u>
V1604 — Right Front Hardware Damaged	0	No	more
V1605 — Left Front Armrest Damaged	0	No	<u>more</u>
V1606 — Right Front Armrest Damaged	0	No	more
V1607 — Left Front Glass Damaged	0	No	more
V1608 — Right Front Glass Damaged	0	No	more
V1609 — Left Rear Door Area Damaged	0	No	<u>more</u>
V1610 — Right Rear Door Area Damaged	0	No	more
V1611 — Left Rear Hardware Damaged	0	No	<u>more</u>
V1612 — Right Rear Hardware Damaged	0	No	<u>more</u>
V1613 — Left Rear Armrest Damaged	0	No	<u>more</u>
V1614 — Right Rear Armrest Damaged	0	No	<u>more</u>
V1615 — Left Rear Glass Damaged	0	No	more
V1616 — Right Rear Glass Damaged	0	No	more
V1617 — Left Roof Side Rail Damaged	0	No	<u>more</u>
V1618 — Right Roof Side Rail Damaged	0	No	<u>more</u>
V1619 — Left B-pillar Damaged	0	No	more
V1620 — Right B-pillar Damaged	0	No	more
V1621 — Left C-pillar Damaged	0	No	more
V1622 — Right C-pillar Damaged	0	No	<u>more</u>
V1623 — Left D-pillar Damaged	0	No	more
V1624 — Right D-pillar Damaged	0	No	more
V1625 — Left Headlining Damaged	0	No	more

V1626 — Right Headlining Damaged	0	No	more
V1627 — Left Roof Structure Damaged	0	No	more
V1628 — Right Roof Structure Damaged	0	No	more
V1629 — Left T/Sun Roof Damaged	8	Not applicable	more
V1630 — Right T/Sun Roof Damaged	8	Not applicable	more
V1631 — Other Left Side Item Damagd	8	Not applicable	more
V1632 — Other Right Side Item Damagd	8	Not applicable	more
V1633 — Foot Controls Damaged	0	No	more
V1634 — Ignition Key Damaged	0	No	more
V1635 — Rear View Mirror Damaged	1	Yes	more
V1636 — Sunvisor/Fitting Damaged	0	No	more
V1637 — Windshield Molding Damaged	0	No	more
V1638 — Left A-pillar Damaged	0	No	more
V1639 — Right A-pillar Damaged	0	No	more
V1640 — Center Console Damaged	3	No, occupant contact	more
V1641 — Transmission Lever Damaged	0	No	more
V1642 — Horn/Spoke Shroud Damagd	0	No	more
V1643 — Upper Panel Damaged	0	No	more
V1644 — Mid Panel Damaged	3	No, occupant contact	more
V1645 — Lower Panel Damaged	3	No, occupant contact	more
V1646 — Ashtray Damaged	0	No	more
V1647 — Control Knob/Lever Damaged	0	No	more
V1648 — Glove Compartment Area Damaged	0	No	<u>more</u>
V1649 — Instruments Damaged	0	No	more
V1650 — Park Brake Release Damaged	0	No	more
V1651 — Park Brake Pedal Damaged	0	No	more
V1652 — A/C Or Upper Vent Damaged	0	No	more
V1653 — Heater Or A/C Duct Damaged	0	No	more
V1654 — Radio Damaged	0	No	more
V1655 — Other Item Damaged	8	Not applicable	more

V1656 — Rear Window Damaged	0	No	<u>more</u>
V1657 — Rear Window Header Damaged	0	No	<u>more</u>
V1658 — Vertical Console Damaged	0	No	<u>more</u>
V1659 — Roof Console Damaged	8	Not applicable	<u>more</u>


Seats

Variable Number and Name	Code Value	Code Description	Other Options
V1701 — Driver Front Seat Type	05	Bucket	more
V1702 — Passenger Front Seat Type	05	Bucket	more
V1703 — Driver Seat Mount Type	1	Standard	more
V1704 — Passenger Seat Mount Type	1	Standard	more
V1705 — Driver Swivel Mechanism Equipped	0	No	more
V1706 — Passenger Swivel Mechanism Equipped	0	No	<u>more</u>
V1707 — Driver Seat Original Equipment	1	Yes	more
V1708 — Passenger Seat Original Equipment	1	Yes	more
V1709 — Driver Seat/Rear Occupant Contact	8	Not applicable	<u>more</u>
V1710 — Passenger Seat/Rear Occupant Contact	8	Not applicable	more
V1711 — Driver Seat Damage	0	None	more
V1712 — Passenger Seat Damage	0	None	more
V1713 — Center Front Armrest Damaged	8	Not applicable (no center armrest)	<u>more</u>
V1714 — Driver Seat Rotation	0	None apparent	more
V1715 — Passenger Seat Rotation	0	None apparent	more
V1716 — Driver Seat-back Type	3	Reclining	more
V1717 — Passenger Seat-back Type	3	Reclining	more
V1718 — Driver Seat-back Lock Type	1	Manual	more
V1719 — Passenger Seat-back Lock Type	1	Manual	more
V1720 — Driver Seat-back Lock Held	1	Yes	more
V1721 — Passenger Seat-back Lock Held	1	Yes	more
V1722 — Driver Recliner Mechanism Held	1	Yes	more

V1723 — Passenger Recliner Mechanism Held	1	Yes	more
V1724 — Driver Head Restraint Type	1	Adjustable	more
V1725 — Passenger Head Restraint Type	1	Adjustable	more
V1726 — Driver Head Rest Removed	0	No	more
V1727 — Passenger Head Rest Removed	0	No	more
V1728 — Driver Head Rest Adjustment	1	Up	more
V1729 — Passenger Head Rest Adjustment	1	Up	more
V1730 — Driver Head Rest Damage	0	None	more
V1731 — Passenger Head Rest Damage	0	None	more
V1732 — Driver Seat Adjustment Type	1	Manual	more
V1733 — Passenger Seat Adjustment Type	1	Manual	more
V1734 — Driver Seat Adjustment Provided	1	2-way	more
V1735 — Passenger Seat Adjustment Provided	1	2-way	more
V1736 — Driver Seat Adjuster Damage	0	None	more
V1737 — Passenger Seat Adjuster Damage	0	None	more
V1738 — Driver Seat Adjuster Separation	8	Not applicable	more
V1739 — Passenger Seat Adjuster Separation	8	Not applicable	<u>more</u>
V1740 — Driver Seat Pre-crash Position	9	Unknown	more
V1741 — Passenger Seat Pre-crash Position	9	Unknown	<u>more</u>
V1742 — Left Rear Seat Type	6	Luggage area access panel	more
V1743 — Right Rear Seat Type	6	Luggage area access panel	more
V1744 — Left Rear Seat Damaged	0	None	more
V1745 — Right Rear Seat Damaged	0	None	more
V1746 — Center Rear Armrest Damaged	8	Not applicable (No Center Armrest)	<u>more</u>
V1747 — Left Rear Seat-back Left Lock Equipped	1	Yes	more

V1748 — Right Rear Seat-back Left Lock Equipped	8	Not applicable	more
V1749 — Left Rear Seat-back Left Lock Held	1	Yes	<u>more</u>
V1750 — Right Rear Seat-back Left Lock Held	8	Not applicable	<u>more</u>
V1751 — Left Rear Seat-back Right Lock Equipped	8	Not applicable	more
V1752 — Right Rear Seat-back Right Lock Equipped	1	Yes	<u>more</u>
V1753 — Left Rear Seat-back Right Lock Held	8	Not applicable	<u>more</u>
V1754 — Right Rear Seat-back Right Lock Held	1	Yes	<u>more</u>
V1755 — Left 3rd Seat Equipped	0	No	<u>more</u>
V1756 — Right 3rd Seat Equipped	0	No	<u>more</u>
V1757 — Left 3rd Seat Backrest Damaged	8	Not applicable	<u>more</u>
V1758 — Right 3rd Seat Backrest Damaged	8	Not applicable	<u>more</u>
V1759 — Left 3rd Seat Cushion Damaged	8	Not applicable	<u>more</u>
V1760 — Right 3rd Seat Cushion Damaged	8	Not applicable	<u>more</u>
V1761 — Rear Head Restraints	1	Equipped	more

MEASUREMENTS IN CONTINUES.




WINDSHIELD MARK ON CASE VEHICLE: SOLAR TINT TM

(FORD) (N) LAMINATED (R)

AS1

DOT-75 FM-183

8 A D DW-1287




1 = Definitely 2 = Probably 3 = Possible

INTRUSION IT-1

		(All Me	(All Measurements Are in Centimeters)			Dominant	
Location of Intrusion	Intruded Component	Comparison Value	-	Intruded Value	=	Intrusion	Crush Direction
none			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		
			_		=		

OCCUPANT CONTACT WORKSHEET

	late vie v	Occurrent	Dadu		Confidence
	Interior	Occupant No. if	Body		Level of Contact
Contact	Component Contacted	Known	Region if Known	Supporting Physical Evidence	Point
		TATIOWIT			1 01111
Α	windshield	1	head	hole and crack (left-upper corner)	1
В	windshield	1	hand	crack (center of driver side)	
С	hood release on knee bolster	1	left knee	bent	1
D	knee bolster	1	left knee	scuff	1
E					
F					
G					
Н					





Taton Y &

rence (i) to



Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	12	Windshield	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	12	Laceration	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FLLI1	_	_
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	_	_	_

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	02	Injury #2	more
V2102 — 1st Prob Contact Area	12	Windshield	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	03	Central	more
V2106 — Primary OIC -lesion	18	Rupture	more
V2107 — Primary OIC -system/Organ	01	Arteries	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FCRA1	_	_
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	_	_	

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	03	Injury #3	more
V2102 — 1st Prob Contact Area	12	Windshield	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	12	Laceration	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FILI1	_	_
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	_	_	_

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	04	Injury #4	more
V2102 — 1st Prob Contact Area	12	Windshield	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	06	Fracture	more
V2107 — Primary OIC -system/Organ	19	Skeletal	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FIFS1	_	
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	_		_

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	05	Injury #5	more
V2102 — 1st Prob Contact Area	12	Windshield	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	12	Laceration	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FILI1	_	
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	_	_	

Case # 319: Occupant # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	01	Occupant #1	more
V2002 — Occupant Role At 1st Impact	1	Motor vehicle driver	more
V2003 — Occupant Position -row	1	1st row	more
V2004 — Occupant Position -lateral	1	Left	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	40	<u> </u>	_
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	100 kg	<u> </u>	_
V2009 — Occupant Height	183 cm	<u> </u>	_
V2010 — Occupant Sex	1	Male	more
V2011 — Occupant Treatment/Mortality	04	Hospitalized over 24 hrs or for significant treatment	more
V2012 — Injury Severity Score	02	ISS 2	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	2	B - Non-incapacitating Injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	0	None (available but not used)	more
V2017 — Passive Restraint System	1	Air bag installed	more
V2018 — Passive Restraint Usage	2	Air bag deployed	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more
V2022 — Highest OIC Severity	1	Minor	more

V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	1	Glasses	more
V2025 — Source of Occupant Info	1	Hospital	more





















































































































